

(1) 論文  
査読付き論文(原著論文・総説) ※二重下線は  
指導する学生が筆頭のもの

\*

- [1] Harada H., Tsujimori T., 2024, Methane genesis within olivine-hosted fluid inclusions in dolomitic marble of the Hida Belt, Japan. *Progress in Earth and Planetary Science*, v. 6, 6, <https://doi.org/10.1186/s40645-024-00609-y>
- [2] Takeshima Y., Hyodo H., Tsujimori T., Gouzu C., Itaya T., 2023, In-situ argon isotope analyses of chondrule-forming materials in the Allende meteorite: a Preliminary study for  $^{40}\text{Ar}/^{39}\text{Ar}$  dating based on cosmogenic  $^{39}\text{Ar}$ . *Minerals*, v. 13, no. 1, 31, <https://doi.org/10.3390/min13010031>
- [3] 辻森 樹, 2022, プレート境界岩総合解析によるオロゲン地質記録と変成プロセスの研究. *岩石鉱物科学*, v.51, gkk.220310, <https://doi.org/10.2465/gkk.220310> [Tsujimori T., 2022, Orogenic and metamorphic processes in plate boundaries: Synopsis and future directions. *Japanese Magazine of Mineralogical and Petrological Sciences (Ganseki Koubutsu Kagaku)*, v. 51, gkk.220310, <https://doi.org/10.2465/gkk.220310>]
- [4] Takahashi N., Tsujimori T., Kamada S., Nakamura M., 2022, In-situ Raman spectroscopic analysis of dissolved silica structures in  $\text{Na}_2\text{CO}_3$  and  $\text{NaOH}$  solutions at high pressure and temperature. *Contributions to Mineralogy and Petrology*, v. 177, no. 3, 36, <https://doi.org/10.1007/s00410-022-01892-y>
- [5] Morita I., Tsujimori T., Boniface N., Flores K., Aoki S., Aoki K., 2022, Neoproterozoic eclogite-to granulite-facies transition in the Ubendian Belt, Tanzania, and the timescale of continental collision. *Journal of Petrology*, v. 63, no. 3, egac012, <https://doi.org/10.1093/petrology/egac012>
- [6] Ganbat A., Tsujimori T., Miao L.-C., Safonova I., Pastor-Galán D., Anaad C., Baatar M., Aoki S., Aoki K., Chimedsuren M., 2022, Age, petrogenesis, and tectonic implications of the late Permian magmatic rocks in the Middle Gobi volcanoplutonic Belt, Mongolia. *Island Arc*, v. 31, e12457, <https://doi.org/10.1111/iar.12457>
- [7] Tsujimori T., Mattinson C., 2021, Eclogites in different tectonic settings, in Elias S., Alderton D., eds., *Encyclopedia of Geology, 2nd Edition*, Elsevier, p. 561–568, <https://doi.org/10.1016/B978-0-08-102908-4.00104-1>
- [8] Pastor-Galán D., Spencer C.J., Furukawa T., Tsujimori T., 2021. Evidence for crustal removal, tectonic erosion and flare-ups from the Japanese evolving fore-arc sediment provenance. *Earth and Planetary Science Letters*, v. 564, 116893, <https://doi.org/10.1016/j.epsl.2021.116893>
- [9] Matsunaga S., Tsujimori T., Miyashita A., Aoki S., Aoki K., Pastor-Galán D., Yi K., 2021, Reappraisal of the oldest high-pressure type schist in Japan: New zircon U-Pb age of the Kitomyo Schist of the Kurosegawa Belt. *Lithos*, v. 380-381, 105898, <https://doi.org/10.1016/j.lithos.2020.105898>
- [10] Malkovets V.G., Shatsky V.S., Dak A.I., Gibsher A.A., Yakovlev I.V., Belousova E., Tsujimori T., Sobolev N. V., 2021, Evidences for multistage and polychronous alkaline-ultrabasic Mesozoic magmatism in area of alluvial diamondiferous placers of the Anabar river basin (eastern slope of the Anabar shield). *Doklady Earth Sciences*, v. 496, no. 1, p. 48–52, <https://doi.org/10.1134/S1028334X21010141> [in Russian: v. 496, no. 1, p. 60–65, <https://doi.org/10.31857/S268673972101014X>]
- [11] Ichiyama Y., Tsujimori T., Fryer P., Michibayashi K., Tamura A., Morishita T., 2021, Temporal and spatial mineralogical changes in clasts from Mariana serpentinite mud volcanoes: Cooling of the hot forearc mantle at subduction initiation. *Lithos*, v. 384-385, 105941, <https://doi.org/10.1016/j.lithos.2020.105941>

- [12] Harada H., Tsujimori T., Kunugiza K., Yamashita K., Aoki S., Aoki K., Takayanagi H., Iryu Y., 2021, The  $\delta^{13}\text{C}$ – $\delta^{18}\text{O}$  variations in marble in the Hida Belt, Japan. *Island Arc*, v. 30, e12389, <https://doi.org/10.1111/iar.12389>
- [13] Harada H., Tsujimori T., Kon, Y., Aoki S., Aoki K., 2021, Nature and timing of anatexis event of the Hida Belt (Japan): Constraints from titanite geochemistry and U-Pb age of clinopyroxene-bearing leucogranite. *Lithos*, 398-399, 106256, <https://doi.org/10.1016/j.lithos.2021.106256>
- [14] Ganbat A., Tsujimori T., Boniface N., Pastor-Galán D., Aoki S., Aoki K., 2021, Crustal evolution of the Paleoproterozoic Ubendian Belt (SW Tanzania) western margin: A Central African Shield amalgamation tale. *Gondwana Research*, v. 91, p. 286–306, <https://doi.org/10.1016/j.gr.2020.12.009>
- [15] Ganbat A., Tsujimori T., Miao L.-C., Safonova I., Pastor-Galán D., Anaad C., Baatar M., Aoki S., Aoki K., Savinskiy L., 2021, Late Paleozoic–Early Mesozoic granitoids in the Khangay–Khentey basin, Central Mongolia: Implication for the tectonic evolution of the Mongol–Okhotsk Ocean margin. *Litho*, v. 404-405, 106455, <https://doi.org/10.1016/j.lithos.2021.106455>
- [16] Ganbat A., Pastor-Galán D., Hirano N., Nakamura N., Sumino H., Yamaguchi Y., Tsujimori T., 2021, Cretaceous to Miocene NW Pacific Plate kinematic constraints: Paleomagnetism and Ar-Ar geochronology in the Mineoka Ophiolite Mélange (Japan). *Journal of Geophysical Research: Solid Earth*, v. 126, no. 5, e2020JB021492, <https://doi.org/10.1029/2020JB021492>
- [17] Fukushima R., Tsujimori T., Miyajima N., 2021, Various antiphase domains in garnet-hosted omphacite in low temperature eclogite: A FIB–TEM study on heterogeneous ordering processes. *American Mineralogist*, v. 106, no. 10, p. 1596–1605, <https://doi.org/10.2138/am-2021-7784>
- [18] Fukushima R., Tsujimori T., Aoki S., Aoki K., 2021, Trace-element zoning patterns in porphyroblastic garnets in low-T eclogites: Parameter optimization of the diffusion-limited REE-uptake model. *Island Arc*, v. 30, e12394, <https://doi.org/10.1111/iar.12394>
- [19] Boniface N., Tsujimori T., 2021, New tectonic model and division of the Ubendian–Usagaran Belt, Tanzania: A review and in-situ dating of eclogites, in Wakabayashi J., Yildirim D., eds., *Plate Tectonics, Ophiolites, and Societal Significance of Geology: A Celebration of the Career of Eldridge Moores*, Geological Society of America Special Paper 552, p. 133–176, [https://doi.org/10.1130/2021.2552\(08\)](https://doi.org/10.1130/2021.2552(08))
- [20] Zedgenizov D., Kagi H., Ohtani E., Tsujimori T., Komatsu K., 2020, Retrograde phases of former bridgmanite inclusions in superdeep diamonds. *Lithos*, v. 370-371, 105659, <https://doi.org/10.1016/j.lithos.2020.105659>
- [21] Safonova I., Savinskiya I., Perfilova A., Gurova A., Maruyama S., Tsujimori T., 2020, The Itmurundy Pacific-type orogenic belt in northern Balkhash, central Kazakhstan: Revisited plus first U-Pb age, geochemical and Nd isotope data from igneous rocks. *Gondwana Research*, v. 79, p. 49–69, <https://doi.org/10.1016/j.gr.2019.09.004>
- [22] Khassen B.P., Safonova I.Y., Yermolov P.V., Antonyuk R.M., Gurova A.V., Obut O.T., Perfilova A.A., Savinskiy I.A., Tsujimori T., 2020. The Tekturmas ophiolite belt of central Kazakhstan: Geology, magmatism and tectonics. *Geological Journal*, v. 55, no. 3, p. 2363–2382, <https://doi.org/10.1002/gj.3782>
- [23] Kakefuda M., Tsujimori T., Yamashita K., Iizuka Y., Flores K.E., 2020, Revisiting Pb isotope signatures of Ni-Fe alloy hosted by antigorite serpentinite from the Josephine Ophiolite, USA. *Journal of Mineralogical and Petrological Sciences*, v. 115, no. 1, p. 21–28 [Errata (v. 115, no. 3, p. 302)], <https://doi.org/10.2465/jmps.190731a>

- [24] Aoki S., Aoki K., Tsujimori T., Sakata S, Tsuchiya Y., 2020. Oceanic-arc subduction, stagnation, and exhumation: zircon U–Pb geochronology and trace-element geochemistry of the Sanbagawa eclogites in central Shikoku, SW Japan. *Lithos*, v. 358-359, 105378, <https://doi.org/10.1016/j.lithos.2020.105378>
- [25] Yamada C., Tsujimori T., Chang Q., Kimura J.-I., 2019, Boron isotope compositions of antigorite-grade serpentinites in the Itoigawa–Omi area of the Hida-Gaien Belt, Japan. *Journal of Mineralogical and Petrological Sciences*, v. 114, no. 6, p. 290–295, <https://doi.org/10.2465/jmps.190726>
- [26] Yamada C., Tsujimori T., Chang Q., Kimura J.-I., 2019, Boron isotope variations of Franciscan serpentinites, northern California. *Lithos*, v. 334-335, p. 180–189, <https://doi.org/10.1016/j.lithos.2019.02.004>
- [27] Shinji Y., Tsujimori T., Kawamoto T., 2019, Two groups of fluid inclusions in the Yunotani eclogite from the Hida-Gaien Belt: Implications for changes of fluid salinity during exhumation. *Journal of Mineralogical and Petrological Sciences*, v. 114, no. 6, p. 302–307, <https://doi.org/10.2465/jmps.190729>
- [28] Shinji Y., Tsujimori T., 2019, Retrograde pumpellyite in the Yunotani garnet blueschist of the Omi area, Japan: An update on the cooling path. *Journal of Mineralogical and Petrological Sciences*, v. 114, no. 1, p. 26–32, <https://doi.org/10.2465/jmps.180716>
- [29] Hara T., Tsujimori T., Flores E.K., Kimura J.-I., 2019, Sr-Pb isotope compositions of lawsonites in a Pacheco Pass metagraywacke, Franciscan Complex, California. *Journal of Mineralogical and Petrological Sciences*, v. 114, no. 6, p. 296–301, <https://doi.org/10.2465/jmps.190727>
- [30] Boniface N., Tsujimori T., 2019, Pillow lava basalts with back-arc MORB affinity from the Usagaran Belt, Tanzania: Relics of Orosirian ophiolites. *Journal of the Geological Society, London*, v. 176, no. 5, p. 1007–1021, <https://doi.org/10.1144/jgs2018-205>
- [31] Takahashi N., Tsujimori T., Chang Q., Kimura J.-I., 2018, In-situ lithium isotope geochemistry for a veined jadeitite from the New Idria serpentinite body, California: Constraints on slab-derived fluid and fluid-rock interaction. *Lithos*, v. 318-319, p. 376–385, <https://doi.org/10.1016/j.lithos.2018.08.015>
- [32] Hara T., Tsujimori T., Chang Q., Kimura J.-I., 2018, In-situ Sr-Pb isotope geochemistry of lawsonite: A new method to investigate slab-fluids. *Lithos*, v. 320-321, p. 93–104, <https://doi.org/10.1016/j.lithos.2018.09.001>
- [33] Mori K., Tsujimori T., Boniface N., 2018, Finding of talc- and kyanite-bearing amphibolite from the Paleoproterozoic Usagaran Belt, Tanzania. *Journal of Mineralogical and Petrological Sciences*, v. 113, no. 6, p. 316–321, <https://doi.org/10.2465/jmps.180713>
- [34] Martens U.C., Tsujimori T., Liou J.G., 2017, Eclogite varieties and petrotectonic evolution of the northern Guatemala Suture Complex. *International Geology Review*, v. 59, no. 5-6, p. 721–740, <https://doi.org/10.1080/00206814.2016.1245592>
- [35] Sofiya A., Ishiwatari A., Hirano N., Tsujimori T., 2017, Relict chromian spinels in Tulu Dimtu serpentinites and listvenite, Western Ethiopia: Implications for the timing of listvenite formation. *International Geology Review*, v. 59, no. 13, p. 1621–1631, <https://doi.org/10.1080/00206814.2016.1213142>
- [36] Stern R.J., Leybourne M.I., Tsujimori T., 2017, Kimberlites and the start of plate tectonics: REPLY. *Geology*, v. 45, no. 1, p. e406, <https://doi.org/10.1130/G38725Y.1>

- [37] Tsujimori T., 2017, Early Paleozoic jadeitites in Japan: An overview. *Journal of Mineralogical and Petrological Sciences*, v. 112, no. 5, p. 217–226, <https://doi.org/10.2465/jmps.170406a>
- [38] Tsujimori T., Harlow G.E., 2017, Jadeitite (jadeite jade) from Japan: History, characteristics, and perspectives. *Journal of Mineralogical and Petrological Sciences*, v. 112, no. 5, p. 184–196, <https://doi.org/10.2465/jmps.170804>
- [39] Takahashi N., Tsujimori T., Kayama M., Nishido H., 2017, Cathodoluminescence petrography of P-type jadeitites from the New Idria serpentinite body, California. *Journal of Mineralogical and Petrological Sciences*, v. 112, no. 5, p. 291–299, <https://doi.org/10.2465/jmps.170403>
- [40] Kimura J.-I., Chang Q., Ishikawa T., Tsujimori T., 2016, Influence of laser parameters on isotope fractionation and optimisation of lithium and boron isotope ratio measurements using laser ablation-multiple Faraday collector-inductively coupled plasma mass spectrometry. *Journal of Analytical Atomic Spectrometry*, v. 31, no. 11, p. 2305–2320, <https://doi.org/10.1039/C6JA00283H>
- [41] Stern R.J., Leybourne M.I., Tsujimori T., 2016, Kimberlites and the start of plate tectonics. *Geology*, v. 44, no. 10, p. 799–802, <https://doi.org/10.1130/G38024.1>
- [42] Barnes C.G., Ernst W.G., Berry R., Tsujimori T., 2016, Petrology and geochemistry of an upper crustal pluton: A view into crustal-scale magmatism during arc to retro-arc transition. *Journal of Petrology*, v. 57, no. 7, p. 1361–1388, <https://doi.org/10.1093/petrology/egw043>
- [43] Kojima S., Hayasaka Y., Hiroi Y., Matsuoka A., Sano H., Sugamori Y., Suzuki N., Takemura S., Tsujimori T., Uchino T., 2016, Chapter 2b: Pre-Cretaceous accretionary complexes, in Moreno T. et al., eds, *The Geology of Japan*, Bath, Geological Society Publishing House, p. 61–100, <https://doi.org/10.1144/G0J.3>
- [44] Ehiro M., Tsujimori T., Tsukada K., Nuramkhaan M., 2016, Chapter 2a: Palaeozoic basement and associated cover, in Moreno T. et al., eds, *The Geology of Japan*, Bath, Geological Society Publishing House, p. 25–60, <https://doi.org/10.1144/G0J.2>
- [45] Ernst W.G., Sleep N.H., Tsujimori T., 2016, Plate-tectonic evolution of the Earth: Bottom-up and top-down mantle circulation. *Canadian Journal of Earth Sciences*, v. 53, no. 11, p. 1103–1120, <https://doi.org/10.1139/cjes-2015-0126>
- [46] Itaya T., Tsujimori T., 2015, White mica K-Ar geochronology of Sanbagawa eclogites from SW Japan: Implications for deformation-controlled K-Ar closure temperature. *International Geology Review*, v. 57, no. 5-8, p. 1014–1022, <https://doi.org/10.1080/00206814.2014.973915>
- [47] Harlow G.E., Tsujimori T., Sorensen S. S., 2015, Jadeitites and plate tectonics. *Annual Review of Earth and Planetary Sciences*, v. 43, p. 105–138, <https://doi.org/10.1146/annurev-earth-060614-105215>
- [48] Tsujimori T., Ernst W.G., 2014, Lawsonite blueschists and lawsonite eclogites as proxies for paleo-subduction zone processes: A review. *Journal of Metamorphic Geology*, v. 32, no. 5, p. 437–454, <https://doi.org/10.1111/jmg.12057>
- [49] Pu, X.-F., Brophy J.G., Tsujimori T., 2014, Rare earth element–SiO<sub>2</sub> systematics of island arc crustal amphibolite migmatites from the Asago body of the Yakuno Ophiolite, Japan: A field evaluation of some model predictions. *Contributions to Mineralogy and Petrology*, v. 168, 1060, <https://doi.org/10.1007/s00410-014-1060-0>

- [50] Liou J.G., Tsujimori T., Yang J.S., Zhang R.Y., Ernst W.G., 2014, Recycling of crustal materials through study of ultrahigh-pressure minerals in collisional orogens, ophiolites, and mantle xenoliths: A Review. *Journal of Asian Earth Sciences*, v. 96, p. 386–420, <https://doi.org/10.1016/j.jseaes.2014.09.011>
- [51] Stern R.J., Tsujimori T., Harlow G.E., Groat L.A., 2013, Plate tectonic gemstones. *Geology*, v. 41, no. 7, p. 723–726, <https://doi.org/10.1130/G34204.1>
- [52] Rehman H.U., Kobayashi K., Tsujimori T., Ota T., Yamamoto H., Nakamura E., Kaneko Y., Khan T., Terabayashi M., Yoshida K., Hirajima T., 2013, Ion microprobe U-Th-Pb geochronology and study of micro-inclusions in zircon from the Himalayan high- and ultrahigh-pressure eclogites, Kaghan Valley of Pakistan. *Journal of Asian Earth Sciences*, v. 63, no. 1, p. 179–196, <https://doi.org/10.1016/j.jseaes.2012.04.025>
- [53] Omrani H., Moazzen M., Oberhänsli R., Tsujimori T., Bousquet R., Moayyed M., 2013, Metamorphic history of glaucophane-paragonite-zoisite eclogites from the Shanderman area, northern Iran. *Journal of Metamorphic Geology*, v. 31, no. 8, p. 791–812, <https://doi.org/10.1111/jmg.12045>
- [54] Liou J.G., Tsujimori T., 2013, The fate of subducted continental crust: Evidence from recycled UHP–UHT minerals. *Elements*, v. 9, no. 4, p. 248–250, <https://doi.org/10.2113/gselements.9.4.248>
- [55] Kim D., Katayama I., Michibayashi K., Tsujimori T., 2013, Deformation fabrics of natural blueschists and implications for seismic anisotropy in subducting oceanic crust. *Physics of the Earth and Planetary Interiors*, v. 222, p. 8–21, <https://doi.org/10.1016/j.pepi.2013.06.011>
- [56] Kim D., Katayama I., Michibayashi K., Tsujimori T., 2013, Rheological contrast between glaucophane and lawsonite in naturally deformed blueschist from Diablo Range, California. *The Island Arc*, v. 22, no. 1, p. 63–73, <https://doi.org/10.1111/iar.12003>
- [57] Tsujimori T., Harlow G.E., 2012, Petrogenetic relationships between jadeitite and associated high-pressure and low-temperature metamorphic rocks in worldwide jadeitite localities: A review. *European Journal of Mineralogy*, v. 24, no. 2, p. 371–390, <https://doi.org/10.1127/0935-1221/2012/0024-2193>
- [58] Rehman H.U., Kobayashi K., Tsujimori T., Ota T., Yamamoto H., Nakamura E., Kaneko Y., Khan T., 2012, Sm-Nd and Lu-Hf isotope geochemistry of the Himalayan high- and ultrahigh-pressure eclogites, Kaghan valley, Pakistan, in Panagiotaras D., ed., *Geochemistry—Earth’s System Processes*, Rijeka, Croatia, InTech, p. 105–126, <https://doi.org/10.5772/32859>
- [59] 中村 栄三, 牧嶋 昭夫, 森口 拓弥, 小林 桂, 田中 亮吏, 国広 卓也, 辻森 樹, 2012, 「はやぶさ」回収試料の初期分析に至るまで:地球惑星物質総合解析システムの構築. *表面科学*, v. 33, no. 12, p. 681–686, <https://doi.org/10.1380/jsssj.33.681> [Nakamura E., Makishima A., Moriguti T., Kobayashi K., Tanaka R., Tsujimori T., 2012, Establishment of comprehensive analytical system for terrestrial and extraterrestrial materials behind the Initial analysis of particles returned by Hayabusa Spacecraft: Establishment of comprehensive analytical system for terrestrial and extraterrestrial materials behind the Initial analysis of particles returned by Hayabusa Spacecraft. *Journal of the Surface Science Society of Japan (Hyomen Kagaku)*, v. 33, no. 12, p. 681–686, <https://doi.org/10.1380/jsssj.33.681>]
- [60] Nakamura E., Makishima A., Moriguti T., Kobayashi K., Tanaka R., Kunihiro T., Tsujimori T., Sakaguchi C., Kitagawa H., Ota T., Yachi Y., Yada T., Abe M., Fujimura A., Ueno M., Mukai T., Yoshikawa M., Kawaguchi J., 2012, Space environment of an asteroid preserved on micro-grains returned by the Hayabusa spacecraft. *Proceedings of the National Academy of Science*, v. 109, no. 11, p. E624–E629, <https://doi.org/10.1073/pnas.1116236109>



- [61] 石渡 明, 辻森 樹, 2012, 東アジアの 250Ma 大陸衝突帯と日本 – 八重山プロモントリー説再考 –. 地学雑誌, v. 121, no. 3, 460–470, <https://doi.org/10.5026/jgeography.121.460> [Ishiwatari A., Tsujimori T., 2012, Japan and the 250 Ma continental collision belt in East Asia: Yaeyama promontory hypothesis revisited. *Journal of Geography (Chigaku Zasshi)*, v. 121, no. 3, 460–470, <https://doi.org/10.5026/jgeography.121.460>]
- [62] Fukui S., Tsujimori T., Watanabe T., Itaya T., 2012, Tectono-metamorphic evolution of high P/T and low-P/T metamorphic rocks in the Tia complex, southern New England fold belt, eastern Australia: Insights from K-Ar chronology. *Journal of Asian Earth Sciences*, v. 59, no. 1, p. 62–69, <https://doi.org/10.1016/j.jseaes.2012.05.022>
- [63] Itaya T., Tsujimori T., Liou J.G., 2011, Evolution of the Sanbagawa and Shimanto high-pressure belts in SW Japan: Insights from K-Ar (Ar-Ar) geochronology. *Journal of Asian Earth Sciences*, v. 42, no. 6, p. 1075–1090, <https://doi.org/10.1016/j.jseaes.2011.06.012>
- [64] Brophy J.G., Ota T., Kunihiro T., Tsujimori T., Nakamura E., 2011, In situ ion-microprobe determination of trace element partition coefficients for hornblende, plagioclase, orthopyroxene and apatite in equilibrium with natural rhyolitic glass, Little Glass Mountain Rhyolite, California. *American Mineralogist*, v. 92, no. 11-12, p. 1838–1850, <https://doi.org/10.2138/am.2011.3857>
- [65] 辻森 樹, 2010, 日本列島に記録された古生代高圧変成作用 – 新知見とこれから解決すべき問題点 –. 地学雑誌, v. 119, no. 2, p. 294–312, <https://doi.org/10.5026/jgeography.119.294> [Tsujimori T., 2010, Paleozoic subduction-related metamorphism in Japan: New insights and perspectives. *Journal of Geography (Chigaku Zasshi)*, v. 119, no. 2, p. 294–312, <https://doi.org/10.5026/jgeography.119.294>]
- [66] Fu B., Valley J.W., Kita N.T., Spicuzza M.J., Paton C., Tsujimori T., Bröcker M., Harlow G.E., 2010, Multiple origins of zircons in jadeitite. *Contributions to Mineralogy and Petrology*, v. 159, no. 6, p. 769–780, <https://doi.org/10.1007/s00410-009-0453-y>
- [67] Zhang R.Y., Iizuka Y., Ernst W.G., Liou J.G., Xu Z.Q., Tsujimori T., Lo C.H., Jahn B.M., 2009, Metamorphic P-T conditions and thermal structure of Chinese Continental Scientific Drilling main hole eclogites: Fe-Mg partitioning thermometer vs Zr-in-rutile thermometer. *Journal of Metamorphic Geology*, v. 29, no. 9, p. 757–772, <https://doi.org/10.1111/j.1525-1314.2009.00831.x>
- [68] Liou J.G., Ernst W.G., Zhang R.Y., Tsujimori T., Jahn B.M., 2009, Ultrahigh-pressure minerals and metamorphic terranes — The view from China. *Journal of Asian Earth Sciences*, v. 35, no. 3-4, p. 199–231, <https://doi.org/10.1016/j.jseaes.2008.10.012>
- [69] Itaya T., Hyodo H., Tsujimori T., Wallis S., Aoya M., Kawakami T., Gouzu C., 2009, Regional-scale excess Ar wave in a Barrovian type metamorphic belt, eastern Tibetan Plateau. *The Island Arc*, v. 18, no. 2, p. 293–305, <https://doi.org/10.1111/j.1440-1738.2009.00668.x>
- [70] Brueckner H.K., Avé Lallemant H.G., Sisson V.B., Harlow G.E., Hemming S.R., Martens U., Tsujimori T., Sorensen S.S., 2009, Metamorphic reworking of a high pressure-low temperature m'elange along the Motagua fault, Guatemala: A record of Neocomian and Maastrichtian transpressional tectonics. *Earth and Planetary Science Letters*, v. 284, no. 1-2, p. 228–235, <https://doi.org/10.1016/j.epsl.2009.04.032>
- [71] Ernst W.G., Tsujimori T., Zhang R.Y., Liou J.G., 2008, Orogeny and metallogensis along the margin of eastern Asia: Permo-Triassic subduction-zone

- metamorphism, crustal accretion, and exhumation, in Spencer J. E., Tittle S. R., eds., *Ores and orogenesis: Circum-Pacific Tectonics, Geologic Evolution, and Ore Deposits*, Arizona Geological Society Digest 22, p. 151–180.
- [72] Zhao R., Liou J.G., Tsujimori T., Zhang R.Y., 2007, Petrology and U-Pb SHRIMP geochronology of a garnet peridotite, Sulu UHP terrane, east-central China. *International Geology Review*, v. 49, no. 8, p. 732–752, <https://doi.org/10.2747/0020-6814.49.8.732>
- [73] Tsujimori T., Liou J.G., Coleman R.G., 2007, Finding of high-grade tectonic blocks from the New Idria serpentinite body, Diablo Range, California: Petrologic constraints on the tectonic evolution of an active serpentinite diapir, in Cloos M., Carlson W.D., Gilbert M.C., Liou J.G., Sorensen S., eds., *Convergent Margin Terranes and Associated Regions: A tribute to W.G. Ernst*, Geological Society of America Special Paper 419, p. 67–80, [https://doi.org/10.1130/2007.2419\(03\)](https://doi.org/10.1130/2007.2419(03))
- [74] Tsujimori T., Liou J.G., 2007, Significance of the Ca-Na pyroxene-lawsonite-chlorite assemblage in blueschist-facies metabasalts: An example from the Renge metamorphic rocks, SW Japan. *International Geology Review*, v. 49, no. 5, p. 415–430, <https://doi.org/10.2747/0020-6814.49.5.416>
- [75] Kaneko Y., Maruyama S., Kadarusman A., Ota T., Ishikawa M., Tsujimori T., Ishikawa A., Okamoto K., 2007, On-going orogeny in the outer arc of Timor-Tanimbar region, eastern Indonesia. *Gondwana Research*, v. 11, no. 1-2, p. 218–233, <https://doi.org/10.1016/j.gr.2006.04.013>
- [76] Ernst W.G., Tsujimori T., Zhang R.Y., Liou J.G., 2007, Permo-Triassic collision, ultrahigh-pressure metamorphism, and tectonic exhumation along the East Asian continental margin. *Annual Review of Earth and Planetary Sciences*, v. 35, no. 1, p. 73–110, <https://doi.org/10.1146/annurev.earth.35.031306.140146>
- [77] Zhang R.Y., Liou J.G., Tsujimori T., Maruyama S., 2006, Non-ultrahigh-pressure unit bordering the Sulu ultrahigh-pressure terrane, eastern China: Transformation of Proterozoic granulite and gabbro to garnet amphibolite, in Hacker B.R., McClelland W.C., Liou J.G., eds., *Ultrahigh-pressure metamorphism: Deep continental subduction*, Geological Society of America Special Paper 403, p. 169–207, [https://doi.org/10.1130/2006.2403\(10\)](https://doi.org/10.1130/2006.2403(10))
- [78] Tsujimori T., Sisson V.B., Liou J.G., Harlow G.E., Sorensen S.S., 2006, Very-low-temperature record in subduction process: A review of worldwide lawsonite eclogites. *Lithos*, v. 92, no. 3-4, p. 609–624, <https://doi.org/10.1016/j.lithos.2006.03.054>
- [79] Tsujimori T., Sisson V.B., Liou J.G., Harlow G.E., Sorensen S.S., 2006, Petrologic characterization of Guatemalan lawsonite eclogite: Eclogitization of subducted oceanic crust in a cold subduction zone, in Hacker B.R., McClelland W.C., Liou J.G., eds., *Ultrahigh-pressure metamorphism: Deep continental subduction*, Geological Society of America Special Paper 403, p. 147–168, [https://doi.org/10.1130/2006.2403\(09\)](https://doi.org/10.1130/2006.2403(09))
- [80] Tsujimori T., Matsumoto K., Wakabayashi J., Liou J.G., 2006, Franciscan eclogite revisited: Reevaluation of the P-T evolution of tectonic blocks from Tiburon Peninsula, California, USA. *Mineralogy and Petrology*, v. 88, no. 1-2, p. 243–267, <https://doi.org/10.1007/s00710-006-0157-1>
- [81] 辻森 樹, 松本 啓作, 2006, 青海蛇紋岩メンランジュ産の藍閃石-緑れん石エクロジヤイトの圧力温度シュードセクション: 予報. *地質学雑誌*, v. 112, no. 6, p. 407–414, <https://doi.org/10.5575/geosoc.112.407> [Tsujimori T., Matsumoto K., 2006, P-T pseudosection of a glaucophane-epidote eclogite from Omi serpentinite melange, SW Japan: A preliminary report.

- Journal of the Geological Society of Japan*, v. 112, no. 6, p. 407–414, <https://doi.org/10.5575/geosoc.112.407>]
- [82] Tsujimori T., Liou J.G., Ernst W.G., Itaya T., 2006, Triassic paragonite- and garnet-bearing epidote-amphibolite from the Hida Mountains, Japan. *Gondwana Research*, v. 9, no. 1, p. 167–175, <https://doi.org/10.1016/j.gr.2005.03.001>
- [83] Trung N.M., Tsujimori T., Itaya T., 2006, Honvang serpentinite body of the Song Ma fault zone, Northern Vietnam: A remnant of oceanic lithosphere within the Indochina-South China suture. *Gondwana Research*, v. 9, no. 1, p. 225–230, <https://doi.org/10.1016/j.gr.2005.06.012>
- [84] Liou J.G., Tsujimori T., Chu W., Zhang R.Y., Wooden J.L., 2006, Protolith and metamorphic ages of the Haiyangsuo Complex, eastern China: a Non-UHP exotic tectonic slab in the Sulu ultrahigh-pressure terrane. *Mineralogy and Petrology*, v. 88, no. 1-2, p. 207–226, <https://doi.org/10.1007/s00710-006-0156-2>
- [85] Tsujimori T., Liou J.G., Wooden J., Miyamoto T., 2005, U-Pb dating of large zircons in low-temperature jadeitite from the Osayama serpentinite melange, Southwest Japan: Insights into the timing of serpentinization. *International Geology Review*, v. 47, no. 10, p. 1048–1057, <https://doi.org/10.2747/0020-6814.47.10.1048>
- [86] Tsujimori T., Liou J.G., Coleman R.G., 2005, Coexisting retrograde jadeite and omphacite in a jadeite-bearing lawsonite eclogite from the Motagua Fault Zone, Guatemala. *American Mineralogist*, v. 90, no. 5-6, p. 836–842, <https://doi.org/10.2138/am.2005.1699>
- [87] Tsujimori T., Liou J.G., 2005, Low-pressure and low-temperature K-bearing kosmochloric diopside from the Osayama serpentinite melange, SW Japan. *American Mineralogist*, v. 90, no. 10, p. 1629–1635, <https://doi.org/10.2138/am.2005.1749>
- [88] Tsujimori T., Liou J.G., 2005, Eclogite-facies mineral inclusions in clinozoisite from Paleozoic blueschist, central Chugoku Mountains, southwest Japan: Evidence of regional eclogite-facies metamorphism. *International Geology Review*, v. 47, no. 3, p. 215–232, <https://doi.org/10.2747/0020-6814.47.3.215>
- [89] Tsujimori T., Liou J.G., 2004, Metamorphic evolution of kyanite-staurolite-bearing epidote-amphibolite from the Early Paleozoic Oeyama belt, SW Japan. *Journal of Metamorphic Geology*, v. 22, no. 4, p. 301–313, <https://doi.org/10.1111/j.1525-1314.2004.00515.x>
- [90] Tsujimori T., Liou J.G., 2004, Coexisting chromian omphacite and diopside in tremolite schist from the Chugoku Mountains, SW Japan: The effect of Cr on the omphacite-diopside immiscibility gap. *American Mineralogist*, v. 89, no. 1, p. 7–14, <https://doi.org/10.2138/am-2004-0102>
- [91] 辻森樹, 2004, 組成累帯クロムスピネルからみた青海蛇紋岩メランジュを構成する蛇紋岩の起源. *地質学雑誌*, v. 110, no. 10, p. 591–597, <https://doi.org/10.5575/geosoc.110.591> [Tsujimori T., 2004, Origin of serpentinites in the Omi serpentinite melange (Hida Mountains, Japan) deduced from zoned chromian spinel. *Journal of the Geological Society of Japan*, v. 110, no. 10, p. 591–597, <https://doi.org/10.5575/geosoc.110.591>]
- [92] Mattinson C.G., Zhang R.Y., Tsujimori T., Liou J.G., 2004, Epidote-rich talc-kyanite-phengite eclogites, Sulu terrane, eastern China: P-T-f(O<sub>2</sub>) estimates and the significance of the epidote-talc assemblage in eclogite. *American Mineralogist*, v. 89, no. 11-12, p. 1772–1783, <https://doi.org/10.2138/am-2004-11-1224>



- [93] Liou J.G., Tsujimori T., Zhang R.Y., Katayama I., Maruyama S., 2004, Global UHP metamorphism and continental subduction/collision: The Himalayan model. *International Geology Review*, v. 46, no. 1, p. 1–27, <https://doi.org/10.2747/0020-6814.46.1.1>
- [94] Wallis S., Tsujimori T., Aoya M., Kawakami T., Terada K., Suzuki K., Hyodo H., 2003, Cenozoic and Mesozoic metamorphism in the Longmenshan orogen: Implications for geodynamic models of eastern Tibet. *Geology*, v. 31, no. 9, p. 745–748, <https://doi.org/10.1130/G19562.1>
- [95] Ishiwatari A., Tsujimori T., 2003, Paleozoic ophiolites and blueschists in Japan and Russian Primorye in the tectonic framework of East Asia: A synthesis. *The Island Arc*, v. 12, no. 2, p. 190–206, <https://doi.org/10.1046/j.1440-1738.2003.00390.x>
- [96] Tsujimori T., Ishiwatari A., 2002, Granulite facies relics in the early Paleozoic kyanite-bearing ultrabasic metacumulate in the Oeyama belt, the inner zone of southwestern Japan. *Gondwana Research*, v. 5, no. 4, p. 823–835, [https://doi.org/10.1016/S1342-937X\(05\)70916-3](https://doi.org/10.1016/S1342-937X(05)70916-3)
- [97] Tsujimori T., 2002, Prograde and retrograde P-T paths of the late Paleozoic glaucophane eclogite from the Renge metamorphic belt, Hida Mountains, southwestern Japan. *International Geology Review*, v. 44, no. 9, p. 797–818, <https://doi.org/10.2747/0020-6814.44.9.797>
- [98] Ishiwatari A., Tsujimori T., 2001, Late Paleozoic high-pressure metamorphic belts in Japan and Sikhote-Alin: possible oceanic extension of the Chinese Dabie-Sulu suture detouring Korea. *Gondwana Research*, v. 4, no. 4, p. 636–638, [https://doi.org/10.1016/S1342-937X\(05\)70439-1](https://doi.org/10.1016/S1342-937X(05)70439-1)
- [99] 辻森 樹, 仁科 克一, 石渡 明, 板谷 徹丸, 2000, 西南日本内帯大江山地域の普甲峠変成沈積岩に産する 4~4.4 億年含藍晶石緑れん石角閃岩. *地質学雑誌*, v. 106, no. 9, p. 646–649, <https://doi.org/10.5575/geosoc.106.646> [Tsujimori T., Nishina K., Ishiwatari A., Itaya T., 2000, 403–443 Ma kyanite-bearing epidote amphibolite from the Fuko Pass metacumulate in Oeyama, the Inner Zone of southwestern Japan. *Journal of the Geological Society of Japan*, v. 106, no. 9, p. 646–649, <https://doi.org/10.5575/geosoc.106.646>]
- [100] 辻森 樹, 石渡 明, 坂野 昇平, 2000, 西南日本内帯蓮華変成帯, 青海町湯ノ谷のエクロジャイト質藍閃石片岩について. *地質学雑誌*, v. 106, no. 5, p. 353–362, <https://doi.org/10.5575/geosoc.106.353> [Tsujimori T., Ishiwatari A., Banno S., 2000, Eclogitic glaucophane schist from the Yunotani valley in Omi Town, the Renge metamorphic belt, the Inner Zone of southwestern Japan. *Journal of the Geological Society of Japan*, v. 106, no. 5, p. 353–362, <https://doi.org/10.5575/geosoc.106.353>]
- [101] Tsujimori T., Itaya T., 1999, Blueschist-facies metamorphism during Paleozoic orogeny in southwestern Japan: Phengite K-Ar ages of blueschist-facies tectonic blocks in a serpentinite melange beneath early Paleozoic Oeyama ophiolite. *The Island Arc*, v. 8, no. 2, p. 190–205, <https://doi.org/10.1046/j.1440-1738.1999.00231.x>
- [102] Tsujimori T., 1999, Petrogenesis of the Fuko Pass high-pressure metacumulate from the Oeyama peridotite body, southwestern Japan: Evidence for Early Paleozoic subduction metamorphism, in Miyashita S., Arai S., Kiminami K., Matsuoka A., eds., *Ophiolites and accretionary tectonics*, Memoirs of the Geological Society of Japan 52, p. 287–302.
- [103] 齋藤 大地, 石渡 明, 辻森 樹, 宮下 純夫, ソコロフ S.D., 1999, ロシア極東, タイガノス半島のエリストラートバ・オフィオライト: 海洋底マントルに貫入する島弧オフィオライト. *地質学論集*, v. 52, p. 303–316 [Saito D., Tsujimori T., Ishiwatari

- A., Miyashita S., Sokolov S.D., 1999, Elistratova ophiolite in Taiganos peninsula, Far East Russia, in Miyashita S., Arai S., Kiminami K., Matsuoka A., eds., *Ophiolites and accretionary tectonics*, Memoirs of the Geological Society of Japan 52, p. 303–316]
- [104] 辻森 樹, 1998, 中国山地中央部, 大佐山蛇紋岩メランジュの地質: 大江山オフィオライトの下に発達した 320Ma 青色片岩を含む蛇紋岩メランジュ. 地質学雑誌, v. 104, no. 4, p. 213–231, <https://doi.org/10.5575/geosoc.104.213> [Tsujimori T., 1998, Geology of the Osayama serpentinite melange in the central Chugoku Mountains, southwestern Japan: 320 Ma blueschist-bearing serpentinite melange beneath the Oeyama ophiolite. *Journal of the Geological Society of Japan*, v. 104, no. 4, p. 213–231, <https://doi.org/10.5575/geosoc.104.213>]
- [105] Tsujimori T., 1997, Omphacite-diopside vein in an omphacitite block from the Osayama serpentinite melange, Sangun-Renge metamorphic belt, southwestern Japan. *Mineralogical Magazine*, v. 61, no. 6, p. 845–852, <https://doi.org/10.1180/minmag.1997.061.409.07>
- [106] Tsujimori T., 1995, Staurolite-bearing sillimanite schist cobble from the Upper Jurassic Tetori Group in the Kuzuryu area, Hida Mountains, central Japan. *Journal of the Geological Society of Japan*, v. 101, no. 12, p. 971–977, <https://doi.org/10.5575/geosoc.101.971>
- [107] 石渡 明, 笹谷 啓一, 田崎 和江, 坂本 浩, 中西 孝, 小村 和久, 辻森 樹, 大浦 泰嗣, 宮本 ユタカ, 赤羽 久忠, 渡辺 誠, 布村 克志, 1995, 1995年2月18日落下「根上隕石」概報. 地球科学, v. 49, no. 3, p. 71–76+179–182, [https://doi.org/10.15080/agcjchikyukagaku.49.2\\_71](https://doi.org/10.15080/agcjchikyukagaku.49.2_71) [Ishiwatari A., Sasatani K., Tazaki K., Sakamoto K., Komura K., Tsujimori T., Oura Y., Miyamoto Y., Akahane H., Watanabe M., Nunomura K., 1995, A preliminary report on the Neagari meteorite fall on February 18th, 1995. *Earth Science (Chikyu Kagaku)*, v. 49, no. 3, p. 71–76+179–182, [https://doi.org/10.15080/agcjchikyukagaku.49.2\\_71](https://doi.org/10.15080/agcjchikyukagaku.49.2_71)]

- [1] Iryu Y., Tsujimori T., Hirano N., Ichiyama Y., 2022, Editorial for the thematic issue, “Orogens, Ophiolites, and Oceans: A Snapshot of Earth’s Tectonic Evolution”. *Island Arc*, v. 31, e12468, <https://doi.org/10.1111/iar.12468>
- [2] Oh C.-W., Zhai M., Sajeev K., Tsujimori T., Whattam S.A., 2022, Editorial of the special issue, “Evolution and tectonic correlations of East and South Asia: A geochemical, petrological and tectonic perspective”. *Lithos*, v. 428-429, 106842, <https://doi.org/10.1016/j.lithos.2022.106842>
- [3] Chen Y., Li Q., Zhang G., Tsujimori T., Palin R.M., 2022, Editorial: Seeing convergent margin processes through metamorphism. *Frontiers in Earth Science*, v.10, 989889, <https://doi.org/10.3389/feart.2022.989889>
- [4] Rehman H.U., Tsujimori T., Tsai C.-H., Chung S.-L., 2020, Editorial of the special issue “Subduction and continental collision processes: Petrologic, geochemical and structural perspectives”. *Lithos*, v. 360-361, 105430, <https://doi.org/10.1016/j.lithos.2020.105430>
- [5] Kano A., Tsujimori T., 2020, Greetings from the new Editors-in-Chief. *Island Arc*, v. 29, e12335, <https://doi.org/10.1111/iar.12335>
- [6] Tsujimori T., Miyajima H., Miyawaki R., 2017, Gem sparkles deep: Preface of the special issue on ‘Jadeite and jadeitite’. *Journal of Mineralogical and Petrological Sciences*, v. 112, no. 5, p. 181–183, <https://doi.org/10.2465/jmps.171006>
- [7] Wakabayashi J., Tsujimori T., Ogawa Y., Shervais J., 2015, Convergent plate margin processes and their rock record. *International Geology Review*, v. 57, no. 5-8, p. v–ix, <https://doi.org/10.1080/00206814.2015.1026415>
- [8] Rehman H.U., Tsujimori T., Okamoto K., Spengler D., 2014, Petrogenesis and chemogenesis of oceanic and continental orogens in Asia: Current topics, Part I. *Island Arc*, v. 23, no. 4, p. 251–253, <https://doi.org/10.1111/iar.12097>
- [9] Rehman H.U., Tsujimori T., Tsai C.-H., 2012, Editorial: Minerals, rocks, and mountains: Linking petrology, geochemistry, and geochronology. *Journal of Asian Earth Sciences*, v. 59, no. 1, p. 1–2, <https://doi.org/10.1016/j.jseaes.2012.07.015>
- [10] Harlow G.E., Tsujimori T., Sorensen S.S., 2012, Introduction “Jadeitite: New occurrences, new data, new interpretations”. *European Journal of Mineralogy*, v. 24, no. 2, p. 197–198, <https://doi.org/10.1127/0935-1221/2012/0024-2196>
- [11] Tsujimori T., Martens U., 2006, [口絵] グアテマラ中央部の地質調査. 地質学雑誌, v. 112, no. 2, p. III–IV, [https://doi.org/10.5575/geosoc.112.2.III\\_IV](https://doi.org/10.5575/geosoc.112.2.III_IV) [Tsujimori T., Martens U., 2006, Pictorial—Geologic fieldwork in central Guatemala—. *Journal of the Geological Society of Japan*, v. 112, no. 2, p. III–IV, [https://doi.org/10.5575/geosoc.112.2.III\\_IV](https://doi.org/10.5575/geosoc.112.2.III_IV)]
- [12] 高木 秀雄, 辻森 樹, 2005, [口絵] カリフォルニア州 Hollister にみられる断層クリープ. 地質学雑誌, v. 110, no. 4, p. XI–XII, [https://doi.org/10.5575/geosoc.111.4.XI\\_XII](https://doi.org/10.5575/geosoc.111.4.XI_XII) [Takagi H., Tsujimori T., 2005, Pictorial—Creep Fault observed in Hollister, California—. *Journal of the Geological Society of Japan*, v. 110, no. 4, p. XI–XII, [https://doi.org/10.5575/geosoc.111.4.XI\\_XII](https://doi.org/10.5575/geosoc.111.4.XI_XII)]
- [13] Tsujimori T., Liou J.G., Coleman R.G., 2004, A pictorial introduction to coarse-grained symplectites in low-temperature jadeitite from Guatemala. *Journal of the Geological Society of Japan*, v. 110, no. 9, p. XVII–XVIII, [https://doi.org/10.5575/geosoc.110.9.XVII\\_XVIII](https://doi.org/10.5575/geosoc.110.9.XVII_XVIII)

- [14] 武田 賢治, 辻森 樹, 板谷 徹丸, 2004, [口絵] 九州, 天草下島の含藍晶石緑れん石角閃岩類. 地質学雑誌, v. 110, no. 7, p. XIII–XIV, [https://doi.org/10.5575/geosoc.110.7.XIII\\_XIX](https://doi.org/10.5575/geosoc.110.7.XIII_XIX) [Takeda K., Tsujimori T., Itaya T., 2004, Pictorial—Kyanite-bearing epidote amphibolites from Amakusa-Shimonoshima, Kyusyu, Southwest Japan—. *Journal of the Geological Society of Japan*, v. 110, no. 7, p. XIII–XIV, [https://doi.org/10.5575/geosoc.110.7.XIII\\_XIX](https://doi.org/10.5575/geosoc.110.7.XIII_XIX)]
- [15] ウォリス サイモン, 青矢 睦月, 河上 哲生, 辻森 樹, 2000, [口絵] 大陸衝突の現場: 南チベットの地質調査. 地質学雑誌, v. 106, no. 12, p. XXV–XXVI, <https://doi.org/10.5575/geosoc.106.XXV> [Wallis S., Aoya M., Kawakami T., Tsujimori T., 2000, Pictorial—Orogenesis in action: Geological survey in Southern Tibet—. *Journal of the Geological Society of Japan*, v. 106, no. 12, p. XXV–XXVI, <https://doi.org/10.5575/geosoc.106.XXV>]
- [16] Tsujimori T., Ishiwatari A., Banno S., 2000, Pictorial—Discovery of eclogitic glaucophane schist from the Omi area, Renge metamorphic belt, the Inner Zone of southwestern Japan—. *Journal of the Geological Society of Japan*, v. 106, no. 1, p. I–II, <https://doi.org/10.5575/geosoc.106.I>
- [17] 石渡 明, 辻森 樹, 早坂 康隆, 杉本 孝, 石賀 裕明, 1999, [口絵] 西南日本内帯古～中生代付加型造山帯のナップ境界の衝上断層. 地質学雑誌, v. 105, no. 2, p. III–IV, <https://doi.org/10.5575/geosoc.105.III> [Ishiwatari A., Tsujimori T., Hayasaka Y., Sugimoto T., Ishiga H., 1999, Pictorial—Nappe-bounding thrust faults in the Paleozoic-Mesozoic accretionary orogen in the Inner Zone of southwestern Japan—. *Journal of the Geological Society of Japan*, v. 105, no. 2, p. III–IV, <https://doi.org/10.5575/geosoc.105.III>]
- [18] 石渡 明, 辻森 樹, 1999, [口絵] ロシア沿海州の古生代藍閃変成帯. 地学雑誌, v. 108, no. 2, p. III–IV [Ishiwatari A., Tsujimori T., 1999, Pictorial—Paleozoic blueschists in Primorye, Russia—. *Journal of Geography (Chigaku Zasshi)*, v. 108, no. 2, p. III–IV]
- [19] 石渡 明, 宮下 純夫, 齋藤 大地, 辻森 樹, 1998, [口絵] ロシア極東タイガノス半島の付加体とオフィオライト. 地学雑誌, v. 104, no. 1, p. I–II, <https://doi.org/10.5575/geosoc.104.I> [Ishiwatari A., Miyashita S., Saito D., Tsujimori T., 1998, Pictorial—Accretionary complexes and ophiolites in Taigonos Peninsula, Far-Eastern Russia—. *Journal of the Geological Society of Japan*, v. 104, no. 1, p. I–II, <https://doi.org/10.5575/geosoc.104.I>]

(3) 紀要・報告書  
査読なし

\*

- [1] Fukushima R., Tsujimori T., Miyajima N., 2023, A new evaluation method of cation ordering history in eclogite-facies omphacite. *BGI (Bayerisches Forschungsinstitut für Experimentelle Geochemie und Geophysik) Annual Report 2022*, p. 83-84.
- [2] Fukushima R., Tsujimori T., Miyajima N., 2022, Nanoscale cation-diffusion modeling in garnet-hosted omphacite: A preliminary result. *BGI (Bayerisches Forschungsinstitut für Experimentelle Geochemie und Geophysik) Annual Report 2021*, p. 132-134.
- [3] 辻森 樹, 2022, 地質学的に見た研究対象としての蛇紋岩. 埼玉県立自然の博物館 令和4年度特別展「The 蛇紋岩」展示解説書, p. 16-19.
- [4] Fukushima R., Tsujimori T., Miyajima N., 2021, Revising estimates of antiphase domain size in eclogite-facies omphacites. *BGI (Bayerisches Forschungsinstitut für Experimentelle Geochemie und Geophysik) Annual Report 2020*, p. 126-127.
- [5] Tsujimori T., Fukushima R., Miyajima N., 2020, Reappraisal of natural omphacite: To see a world in a nanoscale domain. *BGI (Bayerisches Forschungsinstitut für Experimentelle Geochemie und Geophysik) Annual Report 2019*, p. 78-79.
- [6] 辻森 樹, 八木 公史, 2015, 東北日本に産する高圧変成岩類の K-Ar 年代値データベース. *地質技術*, v. 5, p. 73-76 [Tsujimori T., Yagi K., 2015, Database of K-Ar ages reported from high-pressure metamorphic rocks in NE Japan: An addition for the *karsheet* database. *Engineering Geology of Japan* (Chishitsu Gijyutsu), v. 5, no. 5, p. 73-76]
- [7] 辻森 樹, 八木 公史, 2014, 西南日本に産する高圧変成岩類の K-Ar 年代値データベース. *地質技術*, v. 4, p. 29-53 [Tsujimori T., Yagi K., 2014, Database of K-Ar ages reported from high-pressure metamorphic rocks in SW Japan. *Engineering Geology of Japan* (Chishitsu Gijyutsu), v. 4, no. 5, p. 29-53]
- [8] Rehman H.U., Kobayashi K., Tsujimori T., Ota T., Yamamoto H., Nakamura E., Kaneko Y., Khan T., 2012, Sm-Nd and Lu-Hf isotope geochemistry of the Himalayan high- and ultrahigh-pressure eclogites, Kaghan valley, Pakistan, in Panagiotaras D., ed., *Geochemistry – Earth’s System Processes*, Rijeka, Croatia, InTech, p. 105-126.
- [9] Itaya T., Tsujimori T., 2012, Geochronology of the Sanbagawa belt in SW Japan. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 38, p. 21-38.
- [10] 辻森 樹, 2010, 造山帯中の高圧低温変成岩を伴う蛇紋岩メランジュ. *月刊地球*, v. 32, no. 3, p. 189-195 [Tsujimori T., 2010, Blueschist-bearing serpentine mélange in orogenic belt: A review. *Chikyu Monthly (Gekkan Chikyu)*, v. 32, no. 3, p. 189-195]
- [11] Martens U., Solari L., Sisson V.B., Harlow G.E., de León R.T., Ligorria J.P., Tsujimori T., Ortega F., Brueckner H., Giunta G., Avé Lallemant H., 2007, *High-pressure belts of central Guatemala: the Motagua suture and the Chuacús complex*. Field Trip Guide, 2007, Field Workshop of IGCP 546 “Subduction Zones of the Caribbean”: Guatemala City, 32 p.
- [12] 東野 外志男, 辻森 樹, 板谷 徹丸, 2005, 白山弥陀ヶ原から発見されたアルカリ岩質テフラ. 石川県白山自然保護センター研究報告, v. 32, p. 1-7, <https://dl.ndl.go.jp/info:ndljp/pid/11386480> [Higashino T., Tsujimori T., Itaya T., 2005, An alkaline tephra found at Midagahara, Mt. Hakusan. *Annual Report of the Hakusan Nature Conservation Center, Ishikawa Prefecture*, v. 32, p. 1-7, <https://dl.ndl.go.jp/info:ndljp/pid/11386480>]



- [13] Liou J.G., Tsujimori T., Katayama I., Maruyama S., 2005, UHP metamorphism and continental subduction/collision, in Thomas H., ed., *Metamorphism and Crustal Evolution: Papers in Honour of Prof. R.S. Sharma*, Atlantic Publishers and Distributors, p. 285–313, ISBN:9788126904365.
- [14] Takeshima Y., Tsujimori T., Hyodo H., 2004, Electron-microprobe analyses of Allende chondrules and CAIs: Implication to the argon isotope study of carbonaceous chondrite. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 30, p. 51–60.
- [15] Tsujimori T., 2003, Extremely Fe-rich metamorphic sekaninaite in a sillimanite-grade schist clast from the Middle Jurassic conglomerate, Hida Mountains, Japan. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 29, p. 51–56.
- [16] 竹島 裕子, 郷津 知太郎, 辻森 樹, 兵藤 博信, 2003, 炭素質コンドライトに  $^{40}\text{Ar}$ - $^{39}\text{Ar}$  法を適用するための基礎研究 (その1): アエンデ隕石中の含塩素物質の重要性. 岡山理科大学自然科学研究所研究報告, v. 29, p. 43–50 [Takeshima Y., Gozu C., Tsujimori T., Hyodo H., 2003, Fundamental research on the application of  $^{40}\text{Ar}$ - $^{39}\text{Ar}$  chronology to chondritic meteorite (1): Significance of Cl-bearing material in Allende meteorite. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 29, p. 43–50]
- [17] 辻森 樹, 板谷 徹丸, 岡田 利典, 2002, 中国山地, 大佐山産ローソン石青色片岩中のスティルプノメレン K–Ar 年代測定: 予報. 岡山理科大学自然科学研究所研究報告, v. 28, p. 25–30 [Tsujimori T., Itaya T., Okada T., 2002, Stilpnomelane K–Ar age dating for the lawsonite blueschist from the Osayama serpentinite melange in Chugoku Mountains, Southwest Japan: A preliminary report. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 28, p. 25–30]
- [18] Tsujimori T., 2002, Phlogopite in jadeitite from the Osayama serpentinite melange, Chugoku Mountains, Southwest Japan. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 28, p. 31–35.
- [19] 辻森 樹, 宮島 宏, 竹之内 耕, 2001, 糸魚川 – 青海地域の古生代高压変成岩. 日本地質学会第 108 年学術大会見学旅行案内書, p. 157–177 [Tsujimori T., Miyajima H., Takenouchi K., 2001, Paleozoic high-pressure metamorphic rocks in the Itoigawa-Omi area, SW Japan, in Ishiwatari A., ed., *Excursion Guidebook for the 108th Annual Meeting of Geological Society of Japan*, Tokyo, the Geological Society of Japan, p. 157–177]
- [20] Tsujimori T., 2001, Database on rock-forming minerals (1): Na amphibole from Renghe schist at Osayama, Wakasa, Oya, Hakogase and Omi areas, SW Japan. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 27, p. 37–92.
- [21] Kunugiza K., Tsujimori T., Kano T., 2001, Developments of the Hida and Hida marginal belts, in Kano T., ed., *ISRGA Field Guidebook for Major Geologic Units of Southwest Japan*, Excursion Guidebook for the Field Workshop of “International Symposium on the Assembly and Breakup of Rodinia and Gondwana, and Growth of Asia”, p. 75–131.
- [22] Wallis S., Takasu A., Enami M., Tsujimori T., 2000, Eclogite and related metamorphism in the Sanbagawa belt, Southwest Japan. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 26, p. 3–17.
- [23] Tsujimori T., Tanaka C., Sakurai T., Matsumoto M., Miyagi Y., Mizukami T., Kugimiya Y., Aoya M., 2000, Illustrated introduction to eclogite in Japan. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 26, p. 18–40.

- [24] Vysotskiy S. V., Shcheka S. S., Tsujimori T., 1999, Boninite-ophiolite assemblages - the specific formations of ensimatic island arc systems, in Far East Geological Institute of Russia, ed., *Geodynamics and Metallogeny*, Vladivostok, Dal'nauka, p. 93-108 (in Russian).
- [25] Tsujimori T., Saito D., Ishiwatari A., Miyashita S., Sokolov S.D., 1998, Electron microprobe element image of zoned chromian spinel with hydrous mineral inclusions in a chromitite from Elistratova ophiolite, Far East Russia. *Science Reports of Kanazawa University*, v. 43, p. 1-11, <http://hdl.handle.net/2297/34151>
- [26] Tsujimori T., Esaka N., Abimbola A. F., Nishido H., Ninagawa K., Itaya T., 1997, Quantitative analysis of common rock-forming minerals by a modern wavelength-dispersive type EPMA: A preliminary report. *Bulletin of the Research Institute of Natural Sciences, Okayama University of Science*, v. 23, p. 51-60.
- [27] 辻森 樹, 1997, 中国山地中央部, 320Ma 青色片岩を含む蛇紋岩メランジュのメランジュ・マトリクスの初生かんらん岩. 付加体における緑色岩の意義: 総合研究 (A)07304039・研究報告, v. 2, p. 31-38 [Tsujimori T., 1997, Primary peridotite in the melange-matrix of the 320 Ma blueschist-bearing Osayama serpentinite melange, central Chugoku Mountains, in Miyashita S., ed., *Significance of greenstones for the formation of accretionary complex*: Report of Scientific Project, Grant-in-Aid for Scientific Research (A) 07304039, p. 31-38]

(4) 著 書  
分担執筆、監修、  
翻訳

\*

- [1] 辻森 樹, 2024. 43 収録項目: 蓮華帯; 大江山帯; エクロジャイト化; エピソサイト; 大佐山蛇紋岩メランジュ; 拡散ハロ; キクラデス変成帯; グローバルローソン石ハイエイタス; 沈込み帯変成作用; 蛇紋岩ダイアピル; 周防帯; スラブブレイクオフ; スラブメルティング; 西部片麻岩地域; タウエルンウィンドウ; 智頭帯; ツェルマツト・サース変成オフィオライト; ニューイングランド摺曲帯; フランシスカン変成帯; メタモルフィックソール; ローソン石青色片岩相; ローソン石エクロジャイト相; ロドピ変成帯; 後退変成作用; アルプス造山帯; 伊勢結晶片岩; 青海結晶片岩; 青海-蓮華帯; 大鉢森角閃岩類; オフィオライト; 蒲田結晶片岩; 河守変成岩; 志谷層; 上越変成帯; セシア-ランゾ帯; 西祖谷層群; 飛騨変成岩; ペンニン帯; 母体変成岩類; 夜久野塩基性岩類; 緑簾石青色片岩岩相; 翡翠輝石岩; 伊西岩, *in* 地学団体研究会 [編集] 『最新 地学事典』, 平凡社, 2080 p., ISBN:978-4582115086, <https://www.heibonsha.co.jp/book/b640570.html> [Tsuji Mori T., 2024, 43 entries: Oeyama belt (Oeyama ophiolite); Renge belt; eclogitization; epidote; Osayama serpentinite mélange; diffusion halo; Cycladic metamorphic belt; global lawsonite hiatus; subduction zone metamorphism (subduction metamorphism); serpentinite diapir (serpentinite diapirism); Suo belt; slab breakoff (slab break-off); slab melting; Western Gneiss Region; Tauern Window; Chizu belt; Zermatt-Saas meta-ophiolite (Zermatt-Saas ophiolite zone); New England Fold Belt; Franciscan metamorphic belt (Franciscan complex); metamorphic sole; lawsonite blueschist facies (lawsonite glaucophane schist facies); lawsonite eclogite facies; Rhodope metamorphic belt (Rhodope metamorphic complex); retrograde metamorphism (retrogressive metamorphism); diaphoresis; Alpine orogen (Alpine orogenic belt); Ise schist; Omi schist; Omi-Renge belt; Ohachimori amphibolite; ophiolite; Gamata schist; Komori metamorphic rock; Shitani Formation; Joetsu metamorphic belt; Sesia-Lanzo zone (Sesia zone); Nishiya Group; Hida metamorphic rocks; Penninic belt (Penninic nappe); Motai metamorphic rocks; Yakuno basic rock; epidote blueschist facies (epidote glaucophane schist facies); jadeitite; Inishi rock (Inishi migmatite), *in* The Association for the Geological Collaboration in Japan (AGCJ), ed., *Heibonsha's Chigakujiten, 4th edition*, Tokyo, Heibonsha Limited, Publishers, 2080 p.]
- [2] グラタループ クリステイン [著], 藤村奈 緒美 [翻訳], 瀧下 哉代 [翻訳], 日経ナショナルジオグラフィック [編集], 辻森 樹 [監修], 2024, 地球史マップ 誕生・進化・流転の全記録, 日経ナショナルジオグラフィック社, 322 p., ISBN:978-4863135932, <https://natgeo.nikkeibp.co.jp/atcl/product/24/122100003/> [Grataloup C. (original author), Fujimura N. (translation), Takishita K. (translation), Nikkei National Geographic Inc. (ed.), Tsujimori T. (supervision), 2024, *The Japanese translation of Christian Grataloup (2022)'s "Atlas Historique de la Terra"*. Tokyo, Nikkei National Geographic Inc., 322 p.]
- [3] 辻森 樹 [翻訳], 2021, 第3章 科学教育イニシアチブ (SEI) による変革の過程, *in* 大森 不二雄・杉本 和弘・渡邊 由美子 [監訳] 『カール・ワイマン博士 [著] 「科学立国のための大学教育改革 - エビデンスに基づく科学教育の実践 -」』, 玉川大学出版, p. 5-82, ISBN:9784472405983, <http://www.tamagawa-up.jp/book/b584322.html> [Tsuji Mori T. (translation), 2021, §3 The Process of Making Change [Japanese translation], *in* Omori S., Sugimoto K., Watanabe Y., eds., *The Japanese translation of Carl Wieman (2017)'s "Improving How Universities Teach Science: Lessons from the Science Education Initiative"*. Tokyo, Tamagawa University Press, p. 5-82.]
- [4] 宮島 宏, 辻森 樹, 2019, Chapter 4 日本の「国石」ひすい, *in* 土' 山明 [編著]・一般社団法人日本鉱物科学会 [監修] 『日本の国石「ひすい」ーバラエティに富んだ鉱物の国ー』, 成山堂書店, p. 58-97, ISBN:978-4425956210, <https://www.seizando.co.jp/book/7080/> [Miyajima H., Tsujimori T., 2019, §4 Japan's national stone 'jadeite (and jadeitite)', *in* Tsuchiyama A., Japanese Association of Mineralogical Sciences (JAMS), eds., *Japan's National Stone 'Jadeite (and Jadeitite)': a Country Rich in a Variety of Minerals*. Tokyo, Seizando-Shoten Publishings Co., p. 58-97.]
- [5] 小山内 康人, 平島 崇男, 辻森 樹, 2019. 変成岩の分類, *in* 日本鉱物科学会 [編集] 『鉱物・宝石の科学事典』§1 鉱物 [地球編: 表層] 056), 朝倉書店, p. 174-180, ISBN:978-

- 4254162769, [https://www.asakura.co.jp/detail.php?book\\_code=16276](https://www.asakura.co.jp/detail.php?book_code=16276) [Osanai Y., Hirajima T., Tsujimori T., 2019, Classification of Metamorphic rocks, in the Japan Association of Mineralogical Sciences (JAMS), ed., *The Dictionary of Mineralogy and Gemology*, Tokyo, Asakura-shoten, p. 174–18.]
- [6] Liou J.G., Corona J.C., Tsujimori T., 2012, Glaucophane, in *McGraw-Hill Encyclopedia of Science and Technology, 11th Edition*, New York, McGraw-Hill Education, ISBN:9780071792738.
- [7] Liou J.G., Maruyama S., Tsujimori T., Ogasawara Y., 2012, Ophiolite, in *McGraw-Hill Encyclopedia of Science and Technology, 11th Edition*, New York, McGraw-Hill Education, ISBN:9780071792738.
- [8] 辻森樹, 2009, 大江山オフィオライト [4.3.1] 岡山県大佐山地域 (第4章変成岩と変成作用), in 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 188–190, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.3.1 Oeyama ophiolite: Osayama area, Okayama Prefecture (SW Japan), in the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 188–190.]
- [9] 辻森樹, 2009, 大江山オフィオライト [4.3.2] 岡山県足立地域 (第4章変成岩と変成作用), in 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 190–192, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.3.2 Oeyama ophiolite: Ashidachi area, Okayama Prefecture (SW Japan), in the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 190–192]
- [10] 辻森樹, 2009, 大江山オフィオライト [4.3.3] 広島県道後山地域 (第4章変成岩と変成作用), in 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 192–193, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.3.3 Oeyama ophiolite: Dougoyama area, Hiroshima Prefecture (SW Japan), in the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 192–193]
- [11] 辻森樹, 2009, 蓮華帯 [4.4.2] 岡山県大佐山地域 (第4章変成岩と変成作用), in 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 195–197, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.4.2 Renge metamorphic belt: Osayama area, Okayama Prefecture (SW Japan), in the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 195–197]
- [12] 辻森樹, 2009, 周防帯 [4.5.7] 鳥取県多里地域 (第4章変成岩と変成作用), in 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 213–214, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.5.7 Suo metamorphic belt: Tari area, Tottori Prefecture (SW Japan), in the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 213–214]
- [13] 辻森樹, 2009, 周防帯 [4.5.8] 鳥取県江府 – 根雨地域 (第4章変成岩と変成作用), in 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 214, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.5.8 Suo metamorphic belt: Koufu–Neu area, Tottori Prefecture (SW Japan), in the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 214]

- [14] 辻森 樹, 2009, 周防帯 [4.5.11] 岡山県勝山 - 大佐地域 (第 4 章 変成岩と変成作用), *in* 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 217-219, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.5.11 Suo metamorphic belt: Katsuyama-Osa area, Tottori Prefecture (SW Japan), *in* the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 217-219]
- [15] 辻森 樹, 2009, 周防帯 [4.5.12] 岡山県北房地域 (第 4 章 変成岩と変成作用), *in* 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 219-220, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.5.12 Suo metamorphic belt: Hokubo area, Okayama Prefecture (SW Japan), *in* the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 219-220]
- [16] 辻森 樹, 2009, 接触変成帯 [4.8.5] 鳥取・広島・岡山県境の多里・三坂 - 大佐山地域: 大江山オフィオライトの超苦鉄質岩 (第 4 章 変成岩と変成作用), *in* 日本地質学会, ed., 中国地方: 日本地方地質誌 6: 東京, 朝倉書店, p. 243-245, ISBN:9784254167863, [https://www.asakura.co.jp/detail.php?book\\_code=16786](https://www.asakura.co.jp/detail.php?book_code=16786) [Tsujimori T., 2009, § 4.8.5 Contact metamorphism: Metaserpentinite of the Tari-Misaka-Osayama area (SW Japan), *in* the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 243-245]
- [17] 辻森 樹, 2006, [2.3] 青海地域湯之谷の高圧型変成岩類: 古生代に沈み込んだスラブ物質のエクロジャイト化の記録 (各論第 2 章 飛騨外縁帯・秋吉帯: 日本最古の地層を含む地質帯), *in* 日本地質学会, ed., 中部地方: 日本地方地質誌 4: 東京, 朝倉書店, p. 158-159, ISBN:9784254167849, [https://www.asakura.co.jp/detail.php?book\\_code=16784](https://www.asakura.co.jp/detail.php?book_code=16784) [Tsujimori T., 2006, § 2.2.3 Paleozoic high-pressure metamorphic rocks in the Yunotani Valley, Omi area (SW Japan), *in* the Geological Society of Japan, ed., *The Regional Geology of Japan*, Tokyo, Asakura-shoten, p. 158-159]
- [18] 石渡 明, 辻森 樹, 2001, 日本海及びその周辺域の岩石, 日本海学研究業書: 富山県日本海政策課, 59 p., <https://www.nihonkaigaku.org/library/publication/book03/10103b-7.html>



(5) 随 筆

\*

- [1] 辻森 樹, 2023, [プレスリリース] 沈み込む海洋地殻の水の保持能力とその変化の一端を解明～沈み込み帯の成熟が地球深部への水の輸送を促進～. 東北大学東北アジア研究センター ニュースレター, v. 98, p. 6, <http://www.cneas.tohoku.ac.jp/content/files/news/jp/news98.pdf>
- [2] 辻森 樹, 2021, [報告] 日本地質学会第1回・第2回ショートコース開催報告《第1回 2020年9月19日》. 日本地質学会 News (ニュース誌), v. 24, no. 6, p. 6, [http://geosociety.jp/uploads/fckeditor/NEWS\\_BN/2021-06.pdf](http://geosociety.jp/uploads/fckeditor/NEWS_BN/2021-06.pdf)
- [3] 辻森 樹, 2020, [論点] 国内拠点の国際学術ジャーナルは必要か?. 東北アジア学術交流談話会ニュースレター「うしとら」, v. 79-80, p. 1-2, <http://www.cneas.tohoku.ac.jp/gon2/konwakai/i/u/79.pdf>
- [4] 辻森 樹, 2020, [Island Arc] 世界に誇れる国産ジャーナルをめざして. 日本地質学会 News (ニュース誌), v. 22, no. 1, p. 9, [http://geosociety.jp/uploads/fckeditor/NEWS\\_BN/2020-01.pdf](http://geosociety.jp/uploads/fckeditor/NEWS_BN/2020-01.pdf)
- [5] 辻森 樹, 2019, [TOPICS] 一家に1枚 日本列島 7 億年. 日本地球惑星科学連合ニュースレター (JGL), v. 15, no. 3, p. 1-3, [https://www.jpogu.org/wp-content/uploads/2019/09/vol15no3\\_ALL\\_20190723.pdf](https://www.jpogu.org/wp-content/uploads/2019/09/vol15no3_ALL_20190723.pdf)
- [6] 小川 勇二郎, 辻森 樹, 2019, [会員の声] Eldridge M. Moores 名誉教授を慎む. 日本地質学会 News (ニュース誌), v. 21, no. 11, p. 10, [http://geosociety.jp/uploads/fckeditor/NEWS\\_BN/2018-11.pdf](http://geosociety.jp/uploads/fckeditor/NEWS_BN/2018-11.pdf)
- [7] 辻森 樹, 2018, [巻頭言] 加速の時代に. 東北大学東北アジア研究センター ニュースレター, v. 79, p. 1, <http://www2.cneas.tohoku.ac.jp/content/files/news/jp/news79.pdf>
- [8] 井龍 康文, 辻森 樹, 2018, [国際交流] 大韓地質学会創立 70 周年記念国際シンポジウム参加報告 . 日本地質学会 News (ニュース誌), v. 21, no. 1, p. 9, [http://geosociety.jp/uploads/fckeditor/NEWS\\_BN/2018-01.pdf](http://geosociety.jp/uploads/fckeditor/NEWS_BN/2018-01.pdf)
- [9] 辻森 樹, 2016, [論点] 改めて国際交流について考える. 東北アジア学術交流談話会ニュースレター「うしとら」, v. 69, p. 1-2, <http://www.cneas.tohoku.ac.jp/gon2/konwakai/i/u/69.pdf>
- [10] 辻森 樹, 2016, 活動報告「タンザニア再訪、ダルエスサラーム便り 2016」. 東北大学東北アジア研究センター ニュースレター, v. 68, no. 1, p. 8, <http://www2.cneas.tohoku.ac.jp/img/handbook/news68.pdf>
- [11] 高木 秀雄, 辻森 樹, 後藤 和久, 2005, [学協会・研究会報告] GSA Annual Meeting 2005 に参加して. 日本地質学会 News (ニュース誌), v. 8, no. 12, p. 12-13, [http://geosociety.jp/uploads/fckeditor/NEWS\\_BN/2005-12.pdf](http://geosociety.jp/uploads/fckeditor/NEWS_BN/2005-12.pdf)

(6) その他

\*

- [1] 辻森 樹, 磯崎 行雄 [監修・アートディレクター], 2019, 「一家に1枚 日本列島7億年」平成31年度(第60回)科学技術週間配布用理解増進資料(「一家に1枚」ポスター), [https://www.mext.go.jp/b\\_menu/houdou/31/04/1414445.htm](https://www.mext.go.jp/b_menu/houdou/31/04/1414445.htm)